DDN® STORAGE

AFM Use Cases

Spectrum Scale User Meeting

May, 2017

Vic Cornell, Systems Engineer

DDN | Who We Are



DDN | What we do



4 DDN | GRIDScaler

IBM Spectrum Scale

- **Spectrum Scale Experience**
- >50% of all DDN File-based solutions work with IBM Spectrum Scale
- Support of Spectrum-Scale-Solutions with own Support Engineers
- We have been doing this at the high end for more than a decade

SCALER APPLIANCES

- **GRIDScaler Experience**
- Reduces deployment times and puts Spectrum Scale in a defined environment
- Embedded / Converged
- Installation / Configuration Tools
- SFX read Caching hinting
- Drive Performance Enhancements.
- WOS Bridge, WOS Bridge S3, WOS Access S3
- DirectMon, Monitoring.

DDN | GS14KX

2 x Compute Controllers

- SFAOS 3.0
- 4x 18-core “Broadwell”
- 360GB **Application memory**
- Redundant Power

Connectivity

- 8 x MultiPurpose Ports
  - EDR/FDR ports
  - 10/40/100 GbE

- OR

- 4 x OmniPath



Hyperconverged

- Embedded PFS
- Applications

Drives

- 72 x 12Gb/s SAS 2.5” slots

Expansion

- Add 1, 2, 4, 5, 6, 10 or 20
- 84 HDDs/SSDs each

What is AFM ?

- An ***asynchronous***, ***cross-cluster, data-sharing*** utility
- File data are kept eventually consistent between the “CACHE” and the “HOME” fileset
- Home does not know CACHE exists, CACHE does all the work



AFM Modes with GRIDScaler

Five Modes of AFM



DDN® STORAGE

Use Case #1
AFM as WriteCache

YAHOO! JAPAN

Requirements

- **Initial Plan: 11TB/day ⇒ Now: 50TB/day**
  - Backup of all the data was requested within a limited time
- **Backup environment with no stress for users**
  - Responsibilities as an infrastructure provider
  - Non-stop operation.
- **Data backup to overseas**
  - Disaster Recovery
  - Transfer to U.S. data center where data stoirage cost is lower due to energy pricing.
  - Data Center located in Washington State founded in 2014



Electricity cost of U.S. DC

AFM implementation



Swift + AFM Performance



5 GB
2,000 files

- Swift data ingested into cache site at rates around 30Gbps (~4GB/s).
- example shows 2000 x 5GB files (~10TB) being written to cache and immediately being transferred via AFM to HOME at rates of over 15Gbps (around 2GB/s)

Bandwidth Management by Flush Threads



Why DDN + Spectrum Scale

- **OpenStack integration**
  - Swift, Keystone can be used
- **AFM**
  - Replication independent of SWIFT layer
- **Low Cost, High Performance**
  - I/O Performance that can support 50TB/day
  - excellent performance with read & write simultaneously
  - low Operation cost

YAHOO! JAPAN

- **DDN supports the whole solution – both in Japan and the US**

DDN® STORAGE

Use Case #2
AFM Independent Writer

15 Requirements

- High Performance all-flash solution for SAS-GRID
- Separation of different internal customers data from each other
- Provide Test- and Production environment
- Reduce footprint and power consumption
- Replication between Site A and Site B for disaster prevention

DDN | GS14K

Embedded GRIDScaler

12 x virtual NSDservers

- 4 VMs for development
- 8 VMs production



8 x 40GE Uplinks

- Ethernet interfaces shared between development and production VMs (SR-IOV)
- Development and production networks are separate tagged VLANs

IBM Spectrum Scale

52 x SAS 12GBPS SAS SSD – 1.6TB

- 10 x R5 4+1
- 2 x Spare
- Max 72 Drives – 48 NVME

GS14KX SAS Platform Solution



- 4 GPFS clusters, 2 multi-cluster configurations (development and production)
- 14 filesystems – 6 development and 8 production
- 42 filesets (21 per site) with AFM replication
- ESX based clients
- "Failover" handled on the client basis with manual intervention

Why DDN + Spectrum Scale

- **AFM**
  - Replication with “independent writer” allows for manual disaster recovery with acceptable failover time.
  - Replication per fileset allows fine-grained control

- **High Performance – All Flash**
  - GS14KX delivered the required performance – and allows for easy future expansion
  - GS14KX allowed to separate the workloads as much as possible with minimal hardware deployment/overhead

- **DDN provided all hardware and professional services**

Questions?

Vic Cornell
PreSales Engineer UK

Mobile +44 7900 660 266
Email vcornell@ddn.com

Web www.ddn.com