Spectrum Scale Cloud Deployments - Solutions

Christopher D. Maestas

Ashutosh Mate

Global Technical Architects IBM Systems Storage

Deploying and running Spectrum Scale on Open Compute Project (OCP) hardware



Spectrum Scale runs flawlessly on OCP platform^{BM Storage & SDI}

OCP

Server 2

OCP

Server 4



OCP

Server 3

- 4 OCP servers each having:
 - 2 sockets
 - 28 Intel cores
 - 256GB memory
 - 1 SAS raid controller using RAID
 6
 - 1 10Gbe
- 2 OCP KNOX storage arrays each having:
 - 20 X 8TB drives

KNOX Storage Array 1

KNOX Storage Array 2



 Facebook's Will Martin deploying IBM Spectrum Scale on OCP platform

Spectrum Scale runs flawlessly on Open Power IBM Storage & SDI OCP platform!!!

OCP Server 1

OCP Server 2

- 2 OCP Barreleye servers each having:
 - 2 Sockets
 - 20 Cores
 - 256 GB memory
 - 1 SAS raid controller using Raid6
 - 1 10Gbe
- 1 OCP KNOX storage array having:
 - 15 X 4TB drives

KNOX Storage Array 1



 Facebook's Will Martin deploying IBM Spectrum Scale on OCP platform

More Pictures!



What we accomplished and where to next?

✓ 30 mins to install

- ✓ Facebook driven
- ✓ SNC cluster type
- Chef based Spectrum Scale Installation Toolkit
 - ✓ Install GUI and CLI based
 - Rpm or deb based install still possible

✓ Zero changes to scale running on OCP

- ✓ Software defined solution
- Functional and Performance testing on 10 Gb Ethernet
 - ✓ Tested I/O bandwidth of 1+ GB/s
- Monitoring Framework ZiMon
 - ✓ Integrates with grafana



REST API released and updated

More Storage Options and other OCP hardware configurations
 Excelero and others – but why?

Open Power testing with Spectrum Scale







Spectrum Scale and the weather

IBM and the weather

Long, long ago GPFS 3.5 and AFM 3 site scenario data source to site A, push to site B and then push to site C



Spectrum Scale Deployment

Install toolkit

GUI to monitor failed NSD drives

Easier to let new operators experience the install and maintenance of the system

Repeatable ... regardless of version

4.2.1 to 4.2.2.3

Initial Bluemix (Softlayer) Architecture

SoftLayer



Bluemix on bare metal testing

 Ingest1 Ingest2 2 ingest servers talking Aspera 4 NSD nodes with 24 drives use replication instead of hardware raid NSD1 NSD2 controller – **but why?** 10 Gige, can fill the pipe

NSD3

NSD4

Bluemix current prototype

2 ingest servers talking Aspera 2 NSD nodes with 12 drives each use replication instead of raid controller 10 Gige, can fill the pipe 2 Clusters, 2 sites Initially write to both sites at once Let Scale do AFM transfers within Bluemix No cost to move data in Bluemix



City of Hope – Spectrum Scale Cloud Gateway v1.0

Functional POC

Using Development Lab System in Tuscon

Note: All systems are vitalized (VMs) and share a single, large disk system. This is for functionality, not performance.





Demo Workflow – Migrate Files based on Threshold and Age



Proof of Concept onsite



Production Environment – FLOUD!



Note: Each Flash NSD will have 2x 16Gb SAN Connections to each FS900 (criss-cross). The same goes for TCT Gateways and v7000 Controllers

Feedback - Spectrum Scale Cloud Gateway

Ashutosh Mate Christopher D. Maestas

Objective

Create a Spectrum Scale Cloud Gateway (SSCG) as an onprem appliance offering to move data into IBM Cloud Object Storage (ICOS) on IBM Cloud:

- ✓ Use Spectrum Scale with NFS, SMB, Swift, S3, AFM & TCT along with the single name space
- ✓ Could bundle the SSCG on a standard hardware config
- ✓ GUI for quick configuration & management
- ✓ It's on the truck!

Use Cases

- Use case is to discover old data & pull it into the SSCG via AFM & migrate it to ICOS
- Another use case is to allow data from USB / Flash drives to be copied into the SSCG to be uploaded to ICOS
- ✓ Could also be used to pull data from other public clouds
- SSCG would have fixed SSD storage for initial staging FLOUD (Flash + Cloud) appliance
- Configurable ILM policy will automatically move cold data to ICOS through TCT Cloud Services

Imperatives

- ✓ Easier to deploy, configure & manage than ESS / Versastack
- Comparable price-point to Panzura / Ctera / Nasuni gateways
- Hardened software quality & high performance data movement (Optional: Aspera FASP)
- Scheduled Data Migration & Continuous Throttled Migration
 QOS integration
- ✓ Transparent Cloud Tiering & Cloud Data Sharing support
- ✓ Data availability during migration

Spectrum Scale: Unleash new storage economics on a global scale



Consolidate all your unstructured data storage on spectrum scale with unlimited and painless scaling of capacity and performance

IBM Storage & SDI

Spectrum Scale Cloud Gateway

IBM Storage & SDI



SSCG Deployment

IBM Storage & SDI









ICOS Slicestors

Spectrum Scale Cloud Gateway Advantages

IBM Storage & SDI

Does this make sense?

... and Spectrum Scale is <u>faster</u>

ibm.com/storage

Thank You. IBM Storage & SDI

Legal notices

Copyright © 2016 by International Business Machines Corporation. All rights reserved.

No part of this document may be reproduced or transmitted in any form without written permission from IBM Corporation.

Product data has been reviewed for accuracy as of the date of initial publication. Product data is subject to change without notice. This document could include technical inaccuracies or typographical errors. IBM may make improvements and/or changes in the product(s) and/or program(s) described herein at any time without notice. Any statements regarding IBM's future direction and intent are subject to change or withdrawal without notice, and represent goals and objectives only. References in this document to IBM products, programs, or services does not imply that IBM intends to make such products, programs or services available in all countries in which IBM operates or does business. Any reference to an IBM Program Product in this document is not intended to state or imply that only that program product may be used. Any functionally equivalent program, that does not infringe IBM's intellectually property rights, may be used instead.

THE INFORMATION PROVIDED IN THIS DOCUMENT IS DISTRIBUTED "AS IS" WITHOUT ANY WARRANTY, EITHER OR IMPLIED. IBM LY DISCLAIMS ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NONINFRINGEMENT. IBM shall have no responsibility to update this information. IBM products are warranted, if at all, according to the terms and conditions of the agreements (e.g., IBM Customer Agreement, Statement of Limited Warranty, International Program License Agreement, etc.) under which they are provided. Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products in connection with this publication and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. IBM makes no representations or warranties, ed or implied, regarding non-IBM products and services.

The provision of the information contained herein is not intended to, and does not, grant any right or license under any IBM patents or copyrights. Inquiries regarding patent or copyright licenses should be made, in writing, to:

IBM Director of Licensing IBM Corporation North Castle Drive Armonk, NY 1 0504- 785 U.S.A.

Information and trademarks

IBM Storage & SDI

IBM, the IBM logo, ibm.com, IBM System Storage, IBM Spectrum Storage, IBM Spectrum Control, IBM Spectrum Protect, IBM Spectrum Archive, IBM Spectrum Virtualize, IBM Spectrum Scale, IBM Spectrum Accelerate, Softlayer, and XIV are trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. A current list of IBM trademarks is available on the Web at "Copyright and trademark information" at http://www.ibm.com/legal/copytrade.shtml

The following are trademarks or registered trademarks of other companies.

Adobe, the Adobe logo, PostScript, and the PostScript logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, and/or other countries.

IT Infrastructure Library is a Registered Trade Mark of AXELOS Limited.

Linear Tape-Open, LTO, the LTO Logo, Ultrium, and the Ultrium logo are trademarks of HP, IBM Corp. and Quantum in the U.S. and other countries.

Intel, Intel logo, Intel Inside, Intel Inside logo, Intel Centrino, Intel Centrino logo, Celeron, Intel Xeon, Intel SpeedStep, Itanium, and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

Java and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates.

Cell Broadband Engine is a trademark of Sony Computer Entertainment, Inc. in the United States, other countries, or both and is used under license therefrom.

ITIL is a Registered Trade Mark of AXELOS Limited.

UNIX is a registered trademark of The Open Group in the United States and other countries.

* All other products may be trademarks or registered trademarks of their respective companies.

Notes:

Performance is in Internal Throughput Rate (ITR) ratio based on measurements and projections using standard IBM benchmarks in a controlled environment. The actual throughput that any user will experience will vary depending upon considerations such as the amount of multiprogramming in the user's job stream, the I/O configuration, the storage configuration, and the workload processed. Therefore, no assurance can be given that an individual user will achieve throughput improvements equivalent to the performance ratios stated here.

All customer examples cited or described in this presentation are presented as illustrations of the manner in which some customers have used IBM products and the results they may have achieved. Actual environmental costs and performance characteristics will vary depending on individual customer configurations and conditions.

This publication was produced in the United States. IBM may not offer the products, services or features discussed in this document in other countries, and the information may be subject to change without notice. Consult your local IBM business contact for information on the product or services available in your area.

All statements regarding IBM's future direction and intent are subject to change or withdrawal without notice, and represent goals and objectives only.

Information about non-IBM products is obtained from the manufacturers of those products or their published announcements. IBM has not tested those products and cannot confirm the performance, compatibility, or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

Prices subject to change without notice. Contact your IBM representative or Business Partner for the most current pricing in your geography.

This presentation and the claims outlined in it were reviewed for compliance with US law. Adaptations of these claims for use in other geographies must be reviewed by the local country counsel for compliance with local laws.

Special notices

This document was developed for IBM offerings in the United States as of the date of publication. IBM may not make these offerings available in other countries, and the information is subject to change without notice. Consult your local IBM business contact for information on the IBM offerings available in your area.

Information in this document concerning non-IBM products was obtained from the suppliers of these products or other public sources. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

IBM may have patents or pending patent applications covering subject matter in this document. The furnishing of this document does not give you any license to these patents. Send license inquires, in writing, to IBM Director of Licensing, IBM Corporation, New Castle Drive, Armonk, NY 10504-1785 USA.

All statements regarding IBM future direction and intent are subject to change or withdrawal without notice, and represent goals and objectives only.

The information contained in this document has not been submitted to any formal IBM test and is provided "AS IS" with no warranties or guarantees either expressed or implied.

All examples cited or described in this document are presented as illustrations of the manner in which some IBM products can be used and the results that may be achieved. Actual environmental costs and performance characteristics will vary depending on individual client configurations and conditions.

IBM Global Financing offerings are provided through IBM Credit Corporation in the United States and other IBM subsidiaries and divisions worldwide to qualified commercial and government clients. Rates are based on a client's credit rating, financing terms, offering type, equipment type and options, and may vary by country. Other restrictions may apply. Rates and offerings are subject to change, extension or withdrawal without notice.

IBM is not responsible for printing errors in this document that result in pricing or information inaccuracies.

All prices shown are IBM's United States suggested list prices and are subject to change without notice; reseller prices may vary.

IBM hardware products are manufactured from new parts, or new and serviceable used parts. Regardless, our warranty terms apply.

Any performance data contained in this document was determined in a controlled environment. Actual results may vary significantly and are dependent on many factors including system hardware configuration and software design and configuration. Some measurements quoted in this document may have been made on development-level systems. There is no guarantee these measurements will be the same on generally-available systems. Some measurements quoted in this document may have been estimated through extrapolation. Users of this document should verify the applicable data for their specific environment.